

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S62 | 17 | 717/107.ccls. and ((help or support) near6 (graphic\$6 or dynamic\$6 or automat\$6)) and ((replay\$4 or play\$4 or executable) same (help or support)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 09:22 |
| S61 | 41 | 717/107.ccls. and ((help or support) near6 (graphic\$6 or dynamic\$6 or automat\$6)) and (replay\$4 or play\$4 or executable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 09:22 |
| S60 | 53 | 717/107.ccls. and ((help or support) near6 (graphic\$6 or dynamic\$6 or automat\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 09:21 |
| S59 | 200 | 717/107.ccls. and (help or support) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 09:21 |
| S56 | 146 | 706/60.ccls. and (help or support) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 09:20 |
| S58 | 19 | 706/60.ccls. and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) and (replay\$6 or play\$4 or executable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 09:16 |
| S57 | 32 | 706/60.ccls. and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 09:16 |
| S52 | 238 | 712/1.ccls. and (help or support) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 09:15 |
| S55 | 13 | 712/1.ccls. and ((help or support) near6 (dynamic\$6 or graphic\$6 or automat\$6)) and (replay\$4 or play\$4 or executable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 08:53 |
| S54 | 21 | 712/1.ccls. and ((help or support) near6 (dynamic\$6 or graphic\$6 or automat\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 08:52 |
| S53 | 15 | 712/1.ccls. and ((help or support) near6 (dynamic\$6 or graphic\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 08:52 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|-----|----|------------------|
| S1 | 1 | 10/630959 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/29 08:51 |
| S51 | 20 | ((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) and ((step or sequen\$6) near6 (help or support)) and ((execut\$6 with (step or sequen\$6 or help or support)) same executable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/25 06:45 |
| S50 | 54 | ((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) and ((step or sequen\$6) near6 (help or support)) and (execut\$6 with (step or sequen\$6 or help or support)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/25 06:44 |
| S49 | 71 | ((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) and ((step or sequen\$6) near6 (help or support)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/25 06:43 |
| S48 | 179 | ((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) and ((automat\$6 or dynamic\$6 or graphic\$6) near6 (help or support)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/25 06:42 |
| S47 | 929 | ((help or support) near4 (desk or deskside or desk-side or techn\$6 or comput\$6)) and @ay<"2005" and ((replay\$4 or play\$4) near4 (step or sequen\$4)) and ((record\$4 or sav\$4 or stor\$4 or follow\$4 or arrang\$6 or sort\$4) near4 (step or sequen\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/25 06:41 |
| S46 | 1 | 10/630959 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 10:02 |
| S45 | 2 | 10/327812 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 10:02 |
| S44 | 49 | ((play\$4 or replay\$4 or re-play\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) same (gui or screen or interface or graphic\$6) same user) and @ay<"2004" and (((help or support) near6 (auto or automat\$6 or dynamic\$6 or graphic\$6 or self)) with user) and ((record\$4 or sav\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 09:49 |
| S43 | 91 | ((play\$4 or replay\$4 or re-play\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) same (gui or screen or interface or graphic\$6) and @ay<"2004" and (((help or support) near6 (auto or automat\$6 or dynamic\$6 or graphic\$6 or self)) with user) and ((record\$4 or sav\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 08:33 |

EAST Search History

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| S42 | 198 | ((play\$4 or replay\$4 or re-play\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) same (gui or screen or interface or graphic\$6)) and @ay<"2004" and (((help or support) near6 (auto or automat\$6 or dynamic\$6 or graphic\$6 or self)) with user) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 08:32 |
| S41 | 307 | ((play\$4 or replay\$4 or re-play\$4) near6 (step or sequen\$4 or procedure or module or command or help or support)) same (gui or screen or interface or graphic\$6)) and @ay<"2004" and (((help or support) near6 (auto or automat\$6 or dynamic\$6 or graphic\$6 or self)) same user) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 08:30 |
| S40 | 14 | ((play\$4 or replay\$4) near4 (step or sequen\$4 or procedure or module or command)) same (gui or screen or interface) same (help or support)) and @ay<"2004" and (((help or support) near4 (auto or automat\$6 or dynamic\$6 or graphic\$6)) with user) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 08:29 |
| S39 | 99 | ((play\$4 or replay\$4) near4 (step or sequen\$4 or procedure or module or command)) same (gui or screen or interface)) and @ay<"2004" and (((help or support) near4 (auto or automat\$6 or dynamic\$6 or graphic\$6)) with user) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 08:27 |
| S38 | 284 | ((play\$4 or replay\$4) near4 (step or sequen\$4 or procedure or module or command)) same (gui or screen or interface)) and @ay<"2004" and ((help or support) near4 (auto or automat\$6 or dynamic\$6 or graphic\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 08:26 |
| S37 | 1095 | ((play\$4 or replay\$4) near4 (step or sequen\$4 or procedure or module or command)) and @ay<"2004" and ((help or support) near4 (auto or automat\$6 or dynamic\$6 or graphic\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 08:26 |
| S36 | 84 | ((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or deskside or technical) near4 (support or help)) and (((configur\$6 or diagno\$6) near6 (software or hardware or device)) same (problem or support or help) same user) and ((support or help) same (gui or screen or graphic\$6 or interface)) and ((step or sequen\$6) with (sav\$4 or stor\$4 or generat\$4 or combin\$6 or pack\$6 or arrang\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:45 |
| S35 | 84 | ((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or deskside or technical) near4 (support or help)) and (((configur\$6 or diagno\$6) near6 (software or hardware or device)) same (problem or support or help) same user) and ((support or help) same (gui or screen or graphic\$6 or interface)) and ((step or sequen\$6) with (sav\$4 or stor\$4 or generat\$4 or combin\$6 or pack\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:32 |
| S34 | 85 | ((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or deskside or technical) near4 (support or help)) and (((configur\$6 or diagno\$6) near6 (software or hardware or device)) same (problem or support or help) same user) and ((support or help) same (gui or screen or graphic\$6 or interface)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:31 |
| S33 | 90 | ((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or deskside or technical) near4 (support or help)) and (((configur\$6 or diagno\$6) near6 (software or hardware or device)) same (problem or support or help) same user) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:30 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|-----|----|------------------|
| S32 | 177 | ((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or deskside or technical) near4 (support or help)) and ((configur\$6 or diagno\$6) near4 (software or hardware or device)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:28 |
| S31 | 301 | ((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) and ((desk or desktop or deskside or technical) near4 (support or help)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:28 |
| S30 | 3957 | ((support or help) near4 (auto or automat\$6)) and @ay<"2004" and ((record\$4 or follow\$4) near3 (step or sequen\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:27 |
| S29 | 23440 | ((support or help) near4 (auto or automat\$6)) and @ay<"2004" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:26 |
| S28 | 9 | ("6260035").URPN. | USPAT | AND | ON | 2006/10/20 07:22 |
| S27 | 22 | ("5103798" "5239617" "5311422" "5369575" "5377103" "5390281" "5432940" "5493729" "5597312" "5627958" "5644735" "5689619" "5694559" "5696964" "5701399" "5720007" "5778402" "5809145" "5822745" "5828999" "5850627" "5864848").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2006/10/20 07:21 |
| S26 | 13 | "6260035" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/20 07:12 |
| S20 | 119 | ((record\$4 or arrang\$6) near6 (step or sequen\$6)) same (help or support)) and ((help or support) with (screen or interface or gui or graphic\$6)) and @ay<"2004" and ((step or sequen\$6) with database) and user.clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 09:25 |
| S19 | 248 | ((record\$4 or arrang\$6) near6 (step or sequen\$6)) same (help or support)) and ((help or support) with (screen or interface or gui or graphic\$6)) and @ay<"2004" and ((step or sequen\$6) with database) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:37 |
| S18 | 144 | ((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) with (screen or interface or gui or graphic\$6)) and ((help or support) near6 (dynamic\$6 or automatic\$6)) and (follow\$4 same (user or client) same (help or support)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:35 |
| S17 | 154 | ((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) with (screen or interface or gui or graphic\$6)) and ((help or support) near6 (dynamic\$6 or automatic\$6)) and microsoft | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:18 |
| S16 | 195 | ((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) with (screen or interface or gui or graphic\$6)) and ((help or support) near6 (dynamic\$6 or automatic\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:17 |

EAST Search History

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| S15 | 538 | ((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) with (screen or interface or gui or graphic\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:16 |
| S14 | 680 | ((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) and ((help or support) same (screen or interface or gui)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:16 |
| S13 | 1172 | ((technical or desk) near4 (help or support)) and @ay<"2004" and ((record\$4 or arrang\$6) near6 (step or sequen\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:15 |
| S12 | 25 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) and ((generat\$4 or buil\$4 or creat\$4) with (help or procedure or module or program)) and microsoft and user.clm. and ((technical or desk) near8 support\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:14 |
| S11 | 183 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) and ((generat\$4 or buil\$4 or creat\$4) with (help or procedure or module or program)) and microsoft and user.clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 07:07 |
| S10 | 229 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) and ((generat\$4 or buil\$4 or creat\$4) with (help or procedure or module or program)) and microsoft | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:58 |
| S9 | 518 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) and ((generat\$4 or buil\$4 or creat\$4) with (help or procedure or module or program)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:58 |
| S8 | 607 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui) same follow\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:57 |
| S7 | 2477 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and ((user or client) same (help or instruction or procedure or module or program) same (interface or sreen or gui)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:57 |
| S6 | 3533 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 and (user or client) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:56 |

EAST Search History

| | | | | | | |
|----|-------|--|---|-----|----|------------------|
| S5 | 3882 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" and (record\$4) and arrang\$8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:55 |
| S4 | 12949 | ((auto or automatic\$6 or dynamic\$6) with (help or procedure or module or program)) with (interface or screen or gui)) and @ay<"2005" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:54 |
| S3 | 13977 | ((auto or automatic\$6 or dynamic\$6) with (help or instruction or procedure or module or program)) with (interface or screen)) and @ay<"2005" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:54 |
| S2 | 19367 | ((auto or automatic\$6) with (help or instruction or procedure or module or program)) same (interface or screen)) and @ay<"2005" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/10/19 06:53 |